



Integrated amplifier X800

SELECTOR

PHONO

CD

TUNER

AUX

extraudio


extraudio




extraudio®

Retail Price List 2026

## DISCOVERY LINE: Your Gateway to Sonic Excellence

PRODUCT	IMAGE	SKU / FINISHES	P . VAT INC.
<b>X251 MKII</b> Integrated Amplifier, Solid-State/ Class AD  Extraudio Output Amplifier Module (EPAM): Power: 500W x 2 (4Ω) / 300W x 2 (8Ω), Damping Factor: >1000, Current: 40 Amps x 2  Includes: Remote Control RC1, Charging Cable, Power Cable, MUNDORF Supreme Capacitors (2% Gold and Silver, Paper in Oil) OPTION: Phono Preamp MM MC PH2  UOM: each		X251MKIIB  High-gloss black with silver-plated chrome knobs  Custom finishes in all RAL catalog colors.	<b>7.930 €</b>
<b>XP3 MKII</b> Preamplifier, Solid-State/ Pure Class A  The XP3 MKII offers pure Class A performance with superior sound quality and build.  Includes: Remote Control RC1, Charging Cable, Power Cable, MUNDORF Supreme Capacitors (2% Gold and Silver, Paper in Oil) OPTION: Phono Preamp MM MC PH2  UOM: each		XP3MKIIB  High-gloss black with silver-plated chrome knobs  Custom finishes in all RAL catalog colors.	<b>6.980 €</b>
<b>XP-A800 MKII</b> XP-A800 MKII Power Amplifier, Solid-State/ Class AD  Power Amplifier Module (EPAM): 800W x 2 (4Ω), 400W x 2 (8Ω) Current: 40 Amps x 2 Damping Factor: >1000 Amplifier Gain: 28 dB Power Supply: RMS Power Limit 1500W peak  UOM: each		XPA800MKIIB  High-gloss black with silver-plated chrome knobs  Custom finishes in all RAL catalog colors.	<b>6.890 €</b>
<b>DAC1 MKII</b> Dual Balanced R-2R Ladder  Discrete 4-channel R-2R Ladder BALANCED DAC with 7 digital inputs (BT HD, i2S, USB, AES/EBU, SPDIF) and RCA/XLR outputs. Dual FPGA, ultra-low noise power supplies, medical-grade transformers, and over 600 VFR resistors for precision. Built in an Extraudio anti-vibration chassis with 6000 series aeronautical aluminum front panel.  UOM: each		DAC1MKIIB  High-gloss black with silver-plated chrome knobs  Custom finishes in all RAL catalog colors.	<b>7.900 €</b>



# extraudio®

**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com

## ORIGIN LINE: A Legacy of Excellence


PRODUCT	IMAGE	SKU / FINISHES	P. VAT INC.
<b>X800 MKII</b> Hybrid Integrated Amplifier, vacuum tubes + Solid State. Extraudio Power Output Amplifier Module (EPAM): Power: 800W x2 (4Ω) / 400W x2 (8Ω), Damping Factor: >1000, Current: 40 Amps x2, Vacuum tubes GP6922 Includes: Remote Control RC1, Charging Cable, Power Cable. OPTION: Phono Preamp MM MC PH2 UOM: each		X800MKIIB <input checked="" type="radio"/> X800MKIIS <input type="radio"/> X800MKIIW <input type="radio"/>  High Gloss Infinity Black High Gloss Silver Moon High Gloss Alpine White 24-karat gold knobs Please consult for custom or special finishes.	<b>22.450 €</b>
<b>XP5 MKII</b> Preamplifier, vacuum tubes, pure class A. "The magic of thermionic valves" The XP5 MKII line preamp improves on its predecessor with over 21 circuit enhancements, matched pair and balanced triodes, and Extraudio's proprietary premium audio grade capacitors. Includes: Remote Control RC1, Charging Cable, Power Cable. OPTION: Phono Preamp MM MC PH2 UOM: each		XP5MKIIB <input checked="" type="radio"/> XP5MKIIS <input type="radio"/> XP5MKIIW <input type="radio"/>  High Gloss Infinity Black High Gloss Silver Moon High Gloss Alpine White 24-karat gold knobs Please consult for custom or special finishes.	<b>20.450 €</b>
<b>XP-A1500 MKII</b> Stereo Power Amplifier, Solid State.  The new ORIGIN Line Super Power Amplifier XP-A1500. Input Buffer pure Class A in Bjt technology. DUAL MONO, QUAD POWER SUPPLY, DUAL EXTRAUDIO MODULE EPAM 1500W x2 8 Ohms, 90Amp x2, Damping Factor >2000. 4 WBT speakers Binding Post (Germany) UOM: each		XPA1500MKIIB <input checked="" type="radio"/> XPA1500MKIIS <input type="radio"/> XPA1500MKIIW <input type="radio"/>  High Gloss Infinity Black High Gloss Silver Moon High Gloss Alpine White 24-karat gold knobs Please consult for custom or special finishes.	<b>21.500 €</b>
<b>XP-A2000 (a pair)</b> Mono Power Amplifier, Solid State.  Output Power: 2400W X2 4Ω / 1500W x2 8Ω, 90 Amp X2. Speakers WBT classic Signature Pole Terminal (Germany)  NOTE: It can be configured at the factory in two ways: bi-amplification (BI-AMP) or bi-wiring (BI-WIRE). UOM: pair		XPA2000B <input checked="" type="radio"/> XPA2000S <input type="radio"/> XPA2000W <input type="radio"/>  High Gloss Infinity Black High Gloss Silver Moon High Gloss Alpine White 24-karat gold knobs Please consult for custom or special finishes.	<b>41.360 €</b>
<b>DAC2</b> DAC2 Quad Balanced R-2R Ladder  Dual Output low and high level, RCA and XLR  Optional: Remote control RC1  UOM: each		DAC2B <input checked="" type="radio"/> DAC2S <input type="radio"/> DAC2W <input type="radio"/>  High Gloss Infinity Black High Gloss Silver Moon High Gloss Alpine White 24-karat gold knobs Please consult for custom or special finishes.	<b>20.800 €</b>

## REFERENCE LINE: A Masterpiece in Sound.

PRODUCT	IMAGE	SKU / FINISHES	P . VAT INC.
<b>REFERENCE PREAMP</b> <b>The magic of thermionic valves</b> <b>Pre-release / Coming Soon Q1 2025</b> <b>3 U H V S H F L ↳ F D W L R Q V</b> Reference Preamplifier, Pure Class A Full balanced, Dual mono, Quad Power Supply, Dual chassis, one for power supplies, the other for the analog section. Includes remote control RC2  UOM: each		<b>REFPREAMP</b>  Black titanium with dark titanium knobs and a screen logotype in 24-karat gold.	<b>49.980 €</b>
<b>REF STEREO 100</b> <b>Stereo Power Amplifier, Dual Mono, Dual Power Supply, Each Transformer</b> <b>Pre-release / Coming Soon Q1 2025</b> <b>3 U H V S H F L ↳ F D W L R Q V</b> Selectable: Class A or AB Pure Class A: 100Wx2 4Ohms Class AB: W 600x2 4Ohms 444x340x500 mm(WxHxD) 49Kg  UOM: each		<b>REFSTEREO100</b>  Black titanium with dark titanium knobs and a screen logotype in 24-karat gold.	<b>35.700 €</b>
<b>REF STEREO 200</b> <b>Stereo Power Amplifier, Dual Mono, Quad Power Supply, Dual Transformer</b> <b>Pre-release / Coming Soon Q1 2025</b> <b>3 U H V S H F L ↳ F D W L R Q V</b> Selectable: Class A or AB Pure Class A: 200Wx2 4Ohms Class AB: 1200Wx2 4Ohms  UOM: each		<b>REFSTEREO200</b>  Black titanium with dark titanium knobs and a screen logotype in 24-karat gold.	<b>66.900 €</b>
<b>REF MONO 200</b> <b>Monophonic power amplifier, Quad Power Supply, Dual Transformer</b> <b>Pre-release / Coming Soon Q1 2025</b> <b>3 U H V S H F L ↳ F D W L R Q V</b> Selectable: Class A or AB Pure class A: 400Wx1 4Ohms Class AB 2400Wx1 4Ohms  UOM: each		<b>REFMONO200</b>  Black titanium with dark titanium knobs and a screen logotype in 24-karat gold.	<b>66.900 €</b>

## ARTISAN AUDIO CABLES: DIGITAL

PRODUCT	IMAGE	SKU / FINISHES	P. VAT INC.
LAN One Ethernet LAN One CAT7, 1 meter. Includes cryogenic treatment, five layers of shielding, and eight pure silver twisted pair cables with shielded RJ45 connectors. Specifically designed to enhance digital audio transmission, it reduces noise and interference, improving latency and jitter. Ideal for a superior digital listening experience. For other cable lengths, please consult your distributor. UOM: each		LANCABLEI ● Black	870 €
USB One USB One High-end digital audio cable, 1.8m A to B. Includes cryogenic treatment, dual Extraudio ferrite core, and a mix of graphite and pure copper. Specifically designed to enhance transmission speed for computer audio, DAC, and digital music server applications, while eliminating digital interference and RFI. Features an ultra-quiet textile cover and gold-plated connections. For other cable lengths, please consult your distributor. UOM: each		USBCABLEI ● Black	750 €
SPDIF One SPDIF One digital audio cable 75 Ohm, 1 meter (RCA to RCA or BNC). Includes cryogenic treatment, solid polyethylene dielectric, double shielding, and gold-plated connectors. Ensures clean, lossless transmission for CD transports and other digital sources. Features ultra-quiet textile cover. For other cable lengths, please consult your distributor. UOM: each		SPDIFCABLEI ● Black	870 €
AESEBU One AES/EBU One digital audio cable 110 Ohm (XLR to XLR). Features cryogenic treatment, triple shielding, double ferrites, and gold-plated connectors. Designed to enhance digital sources with balanced 110 Ohm connection, revealing more tonal richness and dynamics. Includes ultra-quiet textile cover. For other cable lengths, please consult your distributor. UOM: each		AESCABLEI ● Black	750 €



# extraudio®


**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com

## ARTISAN AUDIO CABLES: ANALOG

PRODUCT	IMAGE	SKU / FINISHES	P. VAT INC
RCA One 1m (RCA to RCA). Cryogenic treatment, carbon core, graphite, and pure copper mix for natural, neutral sound. Triple shielding prevents interference, keeping audio uncolored. Ultra-quiet textile cover and gold-plated connectors. For other lengths, consult your distributor. UOM: pair		RCACABLEI ● Black	870 €
RCA Two 1.5m (RCA to RCA). Cryogenic treatment, antimagnetic components, rhodium, and carbon connectors. Provides smooth, natural sound with extended dynamics, minimizing high-frequency harshness. For other lengths, consult your distributor. UOM: pair		RCACABLEII ● Black	3.100 €
RCA Three 1.5m (RCA to RCA). Cryogenic treatment, antimagnetic components, rhodium, tellurium copper, and carbon fiber connectors. Offers ultra-defined bass and quiet soundstage with clear low and high-frequency signals. For other lengths, consult your distributor. UOM: pair		RCACABLEIII ● Black	4.700 €
XLR One 1m (XLR to XLR). Features cryogenic treatment, gold QUAD balanced connectors, ultra-low noise quad cable with double shielding for clarity, true instrument timbre, and enhanced micro-details. Includes ultra-quiet textile cover. For other cable lengths, please consult your distributor. UOM: pair		XLRCABLEI ● Black	995 €
XLR Two 1.5m (XLR to XLR). Features cryogenic treatment, gold-plated connectors, and a pure copper and graphite mix for natural, smooth sound. Antimagnetic parts and interference safeguards eliminate ground loop noise. For other cable lengths, please consult your distributor. UOM: pair		XLRCABLEII ● Black	3.370 €
XLR Three 1.5m (XLR to XLR). Features cryogenic treatment, carbon fiber, rhodium, and tellurium copper connectors. Powers premium audio systems with high-resolution balance, enhanced timbre, and precision. Includes antimagnetic parts for superior performance. For other lengths, consult your distributor. UOM: pair		XLRCABLEIII ● Black	4.700 €



# extraudio®

**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com

## ARTISAN AUDIO CABLES: PHONO / POWER CORD

PRODUCT	IMAGE	SKU / FINISHES	P . VAT INC.
PHONO One 1.2m (RCA to RCA). Cryogenic treatment and gold-plated connectors. Features a carbon core, graphite, and pure copper blend for pure, organic sound. Includes extra silicone conductor and ground connectors for turntables. For other lengths, consult your distributor. UOM: pair		PHCABLEI ● Black	870 €
PHONO Two 1.5m (RCA to RCA). Features cryogenic treatment, rhodium, and carbon connectors for smooth, natural sound with extended dynamics. Eliminates high-frequency harshness, ideal for phono use. Includes antimagnetic parts and ground cable. For other lengths, consult your distributor. UOM: pair		PHCABLEII ● Black	2.990 €
PHONO Three 1.5m (RCA to RCA). Features cryogenic treatment, rhodium, tellurium copper, and carbon fiber connectors. Delivers ultra-defined bass and a quiet soundstage, showcasing low and high-frequency signals with unmatched clarity. Includes antimagnetic parts and ground cable. For other lengths, consult your distributor. UOM: pair		PHCABLEIII ● Black	4.370 €
POWER CORD One 2m (Power Cord), 16A (EU, UK, USA). Features cryogenic treatment, gold connectors, and a pure copper and graphite conductor. Designed for high current (10 to 16A) with no noise, offering superior sound articulation and a realistic listening experience. For other lengths, consult your distributor. UOM: each		POWERCORDI ● Black	990 €
POWER CORD Two 2m (Power Cord) 16A (EU, UK, USA). Features cryogenic treatment, rhodium connectors, and tellurium copper. Designed for high current power with no noise, delivering a dynamic and realistic music experience. Includes antimagnetic parts. For other lengths, consult your distributor. UOM: each		POWERCORDII ● Black	2.740 €
POWER CORD Three 2m (Power Cord) 16-20A (EU, UK, USA). Features cryogenic treatment, rhodium and carbon fiber connectors, tellurium copper. Designed for high current power with no noise, delivering a realistic and majestic music experience. Includes antimagnetic parts. For other lengths, consult your distributor. UOM: each		POWERCORDIII ● Black	6.870 €



# extraudio®

**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com

## ARTISAN AUDIO CABLES: SPEAKERS

PRODUCT	IMAGE	SKU / FINISHES	P . VAT INC.
<b>Speaker One 3m.</b> Features cryogenic treatment, rhodium and carbon banana connectors, and tellurium copper. Delivers well-defined bass and a silent interface, ideal for mid to high-level systems. 6-conductor matrix ensures effortless power transfer. For other lengths, consult your distributor. UOM: pair		SPCABLEI ● Black	<b>4.640 €</b>
<b>Speaker Two 3m.</b> Features cryogenic treatment, rhodium and carbon banana connectors, and tellurium copper. Offers well-defined bass and a silent interface for mid-high level systems. 8-conductor matrix ensures effortless power transfer. For other lengths, consult your distributor. UOM: pair		SPCABLEII ● Black	<b>5.870 €</b>
<b>Speaker Three 3m.</b> Features cryogenic treatment, rhodium and carbon banana connectors, and tellurium copper. Designed for high-end systems, offering well-defined bass and a silent interface. 16 double-section conductors ensure effortless power transfer. For other lengths, consult your distributor. UOM: pair		SPCABLEIII ● Black	<b>9.970 €</b>
<b>Speaker One Bi-wire</b> Bi-wiring One 3m speaker cables. Features cryogenic treatment, rhodium, carbon, and tellurium copper connectors. Offers well-defined bass and a quiet interface for mid to high-level systems. 8-conductor design separates high and low frequencies for optimal crossover performance. For other lengths, consult your distributor. UOM: pair		SPCABLEIBI ● Black	<b>5.750 €</b>
<b>Speaker Two Bi-wire</b> Bi-wiring Two, pair of 3m speaker cables. Features cryogenic treatment, rhodium and carbon connectors, and tellurium copper. Delivers well-defined bass and a quiet interface for mid-high level systems. 8-conductor design ensures effortless power transfer. For other lengths, consult your distributor. UOM: pair		SPCABLEIBII ● Black	<b>8.240 €</b>
<b>Speaker Three Bi-wire</b> Bi-wiring Three, 3m speaker cables. Features cryogenic treatment, rhodium and carbon connectors, and tellurium copper. Designed for expert-level systems, offering well-defined bass and a quiet interface. 16 conductors ensure effortless power transfer. For other lengths, consult your distributor. UOM: pair		SPCABLEIBIII ● Black	<b>11.240 €</b>



# extraudio®

**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com

## ACCESORIES:

PRODUCT	IMAGE	SKU / FINISHES	P. VAT INC.
Jumper Speaker Set Loudspeaker Jumpers, set of 4 (20cm each). Features cryogenic treatment, rhodium and carbon connectors, tellurium copper, and a 4-wire design. Provides superior performance over standard metal jumpers, ideal for bi-wiring scenarios. For other lengths, consult your distributor. UOM: 4 units		JUMPSPSET ● Black	990 €
Speaker Cable Lifter Speaker Cable Lifter set (8 pcs). Enhances performance and eliminates interference by keeping speaker cables off the ground. Designed for high-fidelity systems to ensure purity and clarity in sound transmission. Perfect for elevating your listening experience. UOM: 8 units		SPCALI ● Black	1.390 €
ISOLAN One ISOLAN Local Network Isolator Provides galvanic isolation for single Ethernet connections, enhancing sound quality and protection without loss of speed. Ideal for NAS, streamers, and other networked devices, it offers electrical protection up to 5000V and shields against EMI and RF interference. Unique design adds value and security to digital audio systems. UOM: each + 20cm LAN CAT7 Cable		ISOLANI ● Black	550 €
RC1 DAC1/DAC2 RC1, Optional remote control for DAC1 and DAC2 models. Offers convenient features: On/Off, Input Up/Down, Mute. Includes custom control software, USB rechargeable Lipo battery, and a range of 20 to 80 meters, depending on country and interference. UOM: each		RC1DACP ● Black	990 €
PH2 MM/MC (Internal) PHONO PREAMPLIFIER PH2 MM/MC Class A phono preamplifier for MM/MC cartridges, with BJT transistors and Op Amps. Gain: MM 40dB, MC 60dB. Includes MM/MC slide switch; factory pre-configuration required. Turn off power before handling. UOM: each		PH2MMMC ● Black	750 €



# extraudio®


## UP-GRADES:

PRODUCT	IMAGE	SKU / FINISHES	P. VAT. INC.
XP1 to XP5 MKII UP-GRADE Preamplifier Extraudio XP1 to XP5 MKII. Includes new gold-plated PCBs, updated electronic components, and software upgrades. Frontal panel replacement and updated remote control. 12 hours of labor and a three-year warranty extension. Shipment, taxes, and Phono Preamp not included.		UPXP1XP5MII	<b>7.790 €</b>
X250 to X800 MKII UP-GRADE Integrated Amplifier Extraudio X250 to X800 MKII. Includes new gold-plated PCBs, updated electronic components, and EPAM 800Wx2 power module. Software and remote control updates, frontal panel replacement, and 12 hours of labor. Three-year warranty extension. Shipment, taxes, and Phono Preamp not included.		UPX250X800MII	<b>9.990 €</b>
X251 to X251MKII UP-GRADE Integrated Amplifier Extraudio X251 to X251 MKII. Enhances silence, transparency, and three-dimensionality with over 21 circuit upgrades. Includes power amplifier upgrade from 280W to 800W with 40 Amps X2. Software and remote control updates, 8 hours of labor, and a three-year warranty extension. Shipment, taxes, and Phono Preamp not included.		UPX215MII	<b>3.990 €</b>
XP5 to XP5 MKII UP-GRADE Preamplifier Extraudio XP5 to XP5 MKII. Enhances sound with over 21 circuit upgrades for more silence and clarity. Includes valve check, software updates, and remote control enhancements. 12 hours of labor and a three-year warranty extension. Shipment, taxes, and Phono Preamp not included.		UPXP5MII	<b>4.550 €</b>
X800 to X800 MKII UP-GRADE Integrated Amplifier Extraudio XP800 to X800 MKII. Enhances sound with over 21 circuit upgrades for more silence and clarity. Includes valve check, software updates, and remote control enhancements. 14 hours of labor and a three-year warranty extension. Shipment, taxes, and Phono Preamp not included.		UPX800MII	<b>4.270 €</b>
<b>XP-A1500 to XP-A1500 MKII</b> UP-GRADE Power Amplifier XP-A1500 to XP-A1500 MKII. Includes new PCB input, power supply, and updated software, 3 year warranty. Shipment and taxes not included.		UPXPA1500MII	<b>3.870 €</b>

**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com



extraudio®

**EXTRAUDIO BV - The Netherlands**

3-Year standard warranty, extendable by an additional 2 years for 5% of the SRP.

info@extraudio.com  
www.extraudio.com

## CUSTOM FINISHES:

PRODUCT	IMAGE	SKU / FINISHES	P. VAT. INC.
<p><b>CUSTOM COLORS RAL</b> Custom Colors for ORIGIN and DISCOVERY Front Panel.</p> <p>Customization Option: We offer the option to customize our products with aesthetic finishes from the full RAL color catalog for an additional cost. This allows users to adapt the product to their personal preferences.</p>		<p>CURALCO</p>	<b>990 €</b>
<p><b>CUSTOM CHROMED</b> Custom chromed for the ORIGIN LINE</p> <p>In the Origin line, we use an exclusive metallic chroming finish through chemical deposition with noble materials such as 24-carat gold, copper, nickel, titanium, and zinc-darkened graphite. These finishes offer hardness and corrosion resistance, available in polished, satin, or mirror gloss combinations for unique visual effects. The process includes polishing, chroming, and a high-gloss epoxy varnish layer in a pressurized chamber, protecting the metals from oxidation and ensuring long-lasting color durability.</p>		<p>CHNICOSI</p>	<b>1.650 €</b>

## NOTES:



9 rue Héloïse  
92700 Colombes  
Cédric Bettan  
06 19 45 95 48  
[contact@sonhdsalonprive.fr](mailto:contact@sonhdsalonprive.fr)  
[www.sonhdsalonprive.fr](http://www.sonhdsalonprive.fr)



Omy Camis Audio

50 rue Jean Jaurès  
74100 Ambilly  
Juan Carlos  
06 81 59 99 29  
[info@omycamisaudio.com](mailto:info@omycamisaudio.com)  
[www.omycamisaudio.com](http://www.omycamisaudio.com)

